

# FIELD COMPOST

High Quality Products Made in East Anglia

Field No.4 Organic Fine Grade Lawn Dressing

ganic Fine Grade Law Product Specification





## Field No. 4 Organic Fine Grade Lawn Dressing

#### Description

A high quality finely graded soil improver manufactured to BSI PAS100 (2018) from composted organic material. Manufactured specifically for use as a lawn dressing for both domestic and sports turf applications.

- **Field No.4** is the ultimate source of organic matter for the soil in which your lawn grows.
- Field No.4 is screened to <4mm making it ideal for fine turf lawns or sports turf applications where cylinder mowing equipment is used.
- Field No.4 provides an insulating "blanket" for the soil that will protect grass species from frost and severe weather conditions.
- **Field No.4** returns valuable organic matter to the soil, improving soil function.
- **Field No.4** naturally releases balanced levels of phosphate that will help stimulate root growth.
- Field No.4 slowly releases nitrogen as the soil warms up helping to bring your lawn back to life in the spring.
- Field No.4 will encourage beneficial microorganisms in the soil that improve plants resistance to disease.

#### Directions for use

- 1. For best results it is best to remove any weeds from your lawn first.
- 2. Mow your lawn as part of your normal spring/autumn maintenance regime.
- 3. Use a spring rake to remove any moss and thatch.
- 4. Aerate your lawn using a fork or hollow tine to make holes of approximately 100mm (4inches) in depth.
- 5. Using a stiff broom evenly brush in a thin layer of Field No.4 to a depth of about 8mm (1/3 inch) over the entire surface of the lawn. If removing cores using a hollow tine then more Field No.4 will be required.
- 6. Select a suitable lawn seed to match your lawn and the type of application. Field Compost Ltd supplies a comprehensive range of lawn seed and we will be happy to recommend a product that best suits your needs.
- 7. Evenly sow the grass seed as per the instructions on the box
- 8. Whilst waiting for the seed to germinate (Normally 2-3 weeks) keep mowing to a minimum and elevate the cutting height of your mower to avoid removing the Field No.1 from the base of the sward.

See overleaf for typical physico-chemical properties and nutrient content

### Typical physico-chemical properties and nutrient content

Parameter	Typical Value	Unit	Method Reference
Electrical Conductivity	1500	μS/cm @ 20C	BS EN 13038
Bulk Density	550	kg/m³	BS EN 12540
рН	8.0 – 8.5	N/A	BS EN 13037
Total Nitrogen as N	5000	mg/l	Modified Kjeldahl, BS EN 13654-1
Total Phosphorus as P	1000	mg/l	BS EN 13650
Total Potassium as K	3500	mg/l	BS EN 13650
Sodium as Na	200	mg/l	BS EN 13650
Magnesium as Mg	1000	mg/l	BS EN 13650
Sulphur as S	700	mg/l	BS EN 13650
Boron as B	10	mg/l	BS EN 13650
Copper as Cu	40	mg/l	BS EN 13650
Iron as Fe	5500	mg/l	BS EN 13650
Manganese as Mn	100	mg/l	BS EN 13650
Molybdenum as Mo	1.5	mg/l	BS EN 13650
Calcium as Ca	8500	mg/l	BS EN 13650
Zinc as Zn	225	mg/l	BS EN 13650

For more information and friendly advice please give us a call **01440 966966** or send us an email sales@fieldcompost.co.uk.